



พลิกรูปแบบการประชุมใหม่ อย่างไม่จำกัด

Samsung Flip คืออะไร ?

Samsung Flip พลิกชาร์ทอัจฉริยะ แสดงผลผ่านหน้าจอขนาดใหญ่ มีให้เลือกถึงสองขนาด 55" , 65" หน้าจอคมชัด ระบบสัมผัส มีลำโพงในตัว ขนาด 55" มาพร้อมขาตั้งที่มั่นคง ไม่โยกเยก มีล้อเลื่อนสามารถเคลื่อนที่ ได้อย่างอิสระ สะดวกสบาย เปลี่ยนทุกพื้นที่ของคุณให้เป็นห้องประชุม ได้อย่างมีประสิทธิภาพ


ดีไซน์ใหม่ล้ำกว่าเดิม

- NEW** • ขาตั้งแบบใหม่
- NEW** • ไม่มีช่องว่างเมื่อติดผนัง
- NEW** • ที่เก็บปากกาแบบแม่เหล็ก



การทำงานร่วมกัน อย่างมีประสิทธิภาพ

- เขียนพร้อมกันได้ถึง 4 คน
- บันทึกภาพหน้าจอได้ทันที
- NEW** • เครื่องมือปรับแต่งภาพ
- เข้าถึงบทความได้ง่าย
- ลบข้อความได้รวดเร็วเพียงฝ่ามือ



แบ่งปันและนำเสนอ ได้อย่างง่ายดาย

- การเชื่อมต่อแบบอนาล็อกประสงค์
- NEW** • แสร้งภาพหน้าจอไปยังอุปกรณ์อื่น
- ระบบ Touch Out
- NEW** • ระบบ Bluetooth
- เข้าถึงคอมพิวเตอร์จากระยะไกล



โหมดปากกา



เทคโนโลยี InGlass™



ปากกาที่คุ้นมือ



เขียนพร้อมกันสูงสุดได้ถึง 4 คน



ลบได้อย่างรวดเร็ว



โหมดฟุ้งกัน



โหมดสีน้ำ



สามารถรับรู้ถึงความหนาในแบบต่างๆ



โหมดสีน้ำมัน




ผสมสีได้



Annotation on หรือ แผ่นใส

เขียนได้บนวากหลังทุกแบบ

ผู้ใช้สามารถขีดเขียนได้อย่างไม่มีสะดุด บนคอนเทนต์ต่าง ๆ ที่แสดงอยู่ในหน้าจอ โดยจะไม่กระทบต่อตัวชิ้นงานเดิม และข้อมูลทั้งหมดที่คุณเขียนยังบันทึกไว้ในตัวเครื่องได้อีกด้วย



เครื่องมือปรับแต่งภาพ

ตัดต่อภาพได้อย่างมีประสิทธิภาพ


Samsung Flip2 นำความอเนกประสงค์มาสู่กระดานงานของคุณ ผู้ใช้สามารถเลือก เลื่อน ตัด บันทึก และตัดต่อภาพใด ๆ ได้รวดเร็ว และยังสามารถรวมภาพได้ด้วยคลิกเดียว



การเปลี่ยนหน้าและการล็อกข้อมูล

เปลี่ยนหน้าอย่างสิ้นโหล พร้อมล็อกข้อมูล

สามารถเขียนได้ถึง 20 แผ่นต่อหนึ่งไฟล์ พร้อมแถบสำหรับเลื่อนเปลี่ยนหน้า ผู้ใช้สามารถเลื่อนดูหน้าต่าง ๆ ได้อย่างต่อเนื่อง หรือการเปลี่ยนด้วย Page View ทำให้การเปลี่ยนหน้าสะดวก รวดเร็ว นอกจากนี้ยังรองรับการใส่รหัส PIN ที่คุณกำหนดเองเพื่อล็อกไฟล์งานของคุณ ป้องกันข้อมูลที่เป็นความลับ



Web Browser

ท่องเว็บอย่างง่ายดาย

Samsung Flip2 รองรับการท่องเว็บและให้ผู้ใช้เข้าถึงอินเทอร์เน็ตโดยตรงผ่านหน้าจอ Flip2 ได้เลย โดยไม่จำเป็นต้องใช้อุปกรณ์เพิ่ม เมื่อเบราว์เซอร์เปิดอยู่ ผู้ใช้ก็ยังจะสามารถวาดรอบๆ เบราวเซอร์ได้



โปรแกรมดูเอกสาร

เข้าถึงเอกสารได้โดยตรง


Samsung Flip2 ช่วยให้ผู้ใช้สามารถเปิด Microsoft Word, Microsoft PowerPoint, Microsoft Excel และไฟล์ PDF ได้โดยตรงกับโปรแกรมดูเอกสารในตัว



รักษาหน้าจอ

กำหนดรูปภาพที่แสดงบนจอในขณะไม่ใช้

เมื่อจอแสดงผลไม่ได้อใช้งาน ผู้ใช้สามารถเลือกรูปภาพที่กำหนดเองเพื่อแสดงบนจอ เป็นภาพรักษาหน้าจอได้ ซึ่งหมายความว่า Flip2 สามารถช่วยเสริมสร้างแบรนด์ของคุณได้ ตัวอย่างเช่น โลโก้บริษัท



ฟอร์มหลากหลายรูปแบบ

ตรงความต้องการของทุกธุรกิจ


Samsung Flip2 สามารถนำไปใช้ในหลากหลายรูปแบบทางธุรกิจด้วย Template อนุกรมประเภทต่าง ๆ ที่มาพร้อมในตัวอุปกรณ์ คุณสามารถใช้ Flip2 เป็นปฏิทิน ตารางงาน กระดานจดโน้ต หรือกระดานรายการตรวจสอบ



เชื่อมต่อได้จากทุกที่

ทำงานร่วมกับ PC และ Bluetooth ได้

Samsung Flip2 สามารถเชื่อมต่อกับ PC จากระยะไกลได้ ทำให้ไม่ต้องพกอุปกรณ์มากมายเข้ามาในห้องประชุม นอกจากนี้ ผู้ใช้ยังสามารถใช้แป้นพิมพ์และเมาส์กับหน้าจอแสดงผลได้โดยตรงผ่านการเชื่อมต่อระบบ Bluetooth



Samsung Workspace

การเชื่อมต่อที่ครอบคลุม

คุณสมบัติของ Samsung Workspace ซึ่งรองรับการเข้าถึงบริการ Cloud แบบไร้สาย, การเข้าถึง Microsoft Office 365, และควบคุม PC โดยไม่จำเป็นต้องเชื่อมต่อผ่านสายและได้รับการสนับสนุนระบบความปลอดภัยจาก KNOX ทั้งหมดนี้จะทำให้พื้นที่การประชุมง่ายขึ้นและปลอดภัย



แชร์หน้าจอ

แชร์หน้าจอให้กับคนอื่นได้มากมาย

ผู้ใช้สามารถแสดงภาพคอนเทนต์ต่าง ๆ จาก Samsung Flip2 ไปยังหน้าจอแสดงผลดิจิทัลขนาดใหญ่ได้แบบเรียลไทม์ผ่านเครื่อง่าย Wi-Fi หรือการเชื่อมต่อสาย HDMI และยังสามารถแชร์ไปยังหน้าจอแสดงผลของอุปกรณ์ส่วนตัวต่าง ๆ ได้ คุณสมบัตินี้เหมาะอย่างยิ่งสำหรับการประชุมขนาดใหญ่ ที่ทำให้สามารถส่งข้อมูลต่าง ๆ ไปยังผู้ร่วมเข้าประชุมที่มากขึ้นได้



การแชร์ที่ง่ายดาย

กระจายข้อมูลการประชุมอย่างไร้อุปสรรค

หลังประชุมเสร็จ ผู้ใช้สามารถส่งข้อสรุปการประชุมต่าง ๆ ไปยังผู้เข้าร่วมประชุม และเพื่อนร่วมงานได้โดยไม่ต้องเสียเวลาไปกับการทำสรุปรายงานการประชุมแบบเดิมๆ อีกต่อไป Flip2 สามารถเก็บบทสนทนาและคอนเทนต์ที่สำคัญต่าง ๆ ได้แบบเรียลไทม์ ซึ่งสามารถแชร์ผ่านอุปกรณ์เคลื่อนที่และช่องทางการดิจิทัลต่าง ๆ ได้อีกด้วย



HDMI



USB



Screen Mirroring



WIN10

การเชื่อมต่อที่หลากหลาย

การเชื่อมต่อแบบอนเนกประสงค์

ตัวเลือกการเชื่อมต่อที่หลากหลายของ Flip2 ที่มีตั้งแต่ USB, HDMI, NFC ไปจนถึงความสามารถในการแชร์หน้าจอ ที่ช่วยให้ทุกคนทำงานร่วมกันได้อย่างลงตัว รวมถึงการรับชมคอนเทนต์ การจดโน้ต ยิ่งไปกว่านั้น Flip มีทาดเสริมที่ช่วยเสริมการเชื่อมต่อเพิ่มเติมได้มากยิ่งขึ้น

SAMSUNG

Specifications WM55R

Model			WM55R	
Panel	Diagonal Size		55"	
	Type		60Hz New Edge	
	Resolution		3,840 x 2,160 (Landscape)	
	Brightness(Typ.)		350 (without glass), 220(with glass)	
	Contrast Ratio(Typ.)		4000:1 (Typ.)(without glass)	
	Viewing Angle(H-V)		178/178	
Sound	Operation Hour		16/7	
	Response Time(G-to-G)		8ms(Typ.)	
Connectivity	Speaker Type		Built in Speaker(10Wx2)	
	INPUT	VIDEO	(Basic) HDMI 2, (WithTray) HDMI 3	
		USB	(Basic) USB 1, (WithTray) USB 2, USB External (In/Out) 1	
	OUTPUT	Touch Out	(Basic) Touch Out 1 (USB Upstream Type), Audio Out 1 (With Tray) Touch Out 2, Audio Out 1, Screen Share(HDMI-Out) 1	
		INTERNAL	SENSOR	(Basic) Acceleration sensor (With Tray) Acceleration sensor, NFC
Touch	EXTERNAL	CONTROL	Touch Input, RS232C, RJ45 (Not for User Control)	
	Type		InGlass™	
	# ofDrawing		Multi writing up to 4	
	Touch Pen Type		Passive Pen with magnet	
	Object Recognition Range		2mm/ 4mm/ 8mm/ 50mm , 1024 Level on Brush Mode	
Power	Touch Response Time		6.7ms	
	Type		Internal	
	Power Supply		AC100-240V 50/60Hz	
	Power Consumption	Max(W/h)	154	
		Typical(W/h)	80	
Rating(W/h)		140		
Stand-by(W/h)		0.5		
Mechanical Spec	BTU(W/h)		525.14	
	Dimension (mm)	Set	1297.4(W) x 768.2(H) x 59.9(D)	
		Package	1464(W) x 915(H) x 190(D)	
	Weight (kg)	Set	28.2	
		Package	35.2	
	Color		Light Gray	
	VESA Mount		400 x 400	
	Protection Glass		Yes	
	Stand Type		Moving Stand, Wall mount	
	Rotation		Available with Flip moving stand (STN-WM55R) (Available with rotation support 3rd party accessory)	
Power Cable Length		3m		
Operation	Accessory		Cover-Jack	
	Operating Temperature		0°C ~ 40°C	
	Humidity		10 ~ 80%	
	Key		Flip App	
Feature	Special	HW	Super Clear Coating, Temperature Sensor, Pivot Display, Clock Battery(168hrsClock4keeping), Built in Speaker (10Wx2), WiFi Module Embedded	
		SW	Flip S/W	
	Platform	Processor	Muse-M (Tizen5.0)	
		On-Chip Cache Memory	CAT2 Quad(1.7GHz)	
		Clock Speed	L1 (I/D) : 32KB / 32KB, L2 (Unified) : 1MB	
		Internal Player (Embedded HW)	Main Memory Interface	1.7GHz CPU Quad
			Graphics	LPDDR 41.6GHz 64bit 2.5GB
	Storage		2D & 3D Graphics Engine - Up to 1920 x 1080. 32bpp- Supports Open GLES	
	IO Ports		8GB (2.65GB Occupied by O/S, 5.35GB Available)	
	Operating System		USB 2.0 Samsung Proprietary OS(VOLinux)	
Accessories	Included	Passive Pen(2), PowerCable, Touch Out Cable (USB upstream)		
	Optional	Stand	STN-WM55R	
		Wallmount	WMN4277SE	
		Tray	CY-TF65BPC	
	Specialty	Flip LX		

Wallmount for WM55R			
Mechanical Spec	Dimension (mm)	Set	465(W) x 442(H) x 24.5(D)mm
		Package	510(W) x 280(H) x 90(D)mm
	Weight (kg)	Set	5.5
		Package	6.8
	Accessories	Color	
VESA Mount		400 X 400	
Rotation		N/A	
Included		Installation Guide, Screws	
Stand for WM55R			
Mechanical Spec	Dimension (mm)	Set	835(W) x 1631.1(H) x 850.6(D)
		Package	1650(W) x 860(H) x 208(D)
	Weight (kg)	Set	34.5
		Package	41.5
	Accessories	Color	
VESA Mount		400 X 400	
Rotation		Pivot Supports (90°)	
Included		Installation Guide, Screws	
Feature	Special	HW	Slim Design,No Assembly Required Installation



Specifications WM65R

Model			WM65R
Panel	Diagonal Size		65"
	Type		60Hz New Edge
	Resolution		3,840 x 2,160 (Landscape)
	Brightness(Typ.)		350 (without glass), 220(with glass)
	Contrast Ratio(Typ.)		4000:1 (Typ.)(without glass)
	Viewing Angle(H-V)		178/178
	Operation Hour		16/7
Sound	Response Time(G-to-G)		8ms(Typ.)
	Speaker Type		Built in Speaker(10Wx2)
Connectivity	INPUT	VIDEO	(Basic) HDMI 2, (WithTray) HDMI 3
		USB	(Basic) USB 1, (WithTray) USB 2, USB External (In/Out) 1
	OUTPUT	Touch Out	(Basic) Touch Out 1 (USB Upstream Type), Audio Out 1
			(With Tray) Touch Out 2, Audio Out 1, Screen Share(HDMI-Out) 1
	INTERNAL	SENSOR	(Basic) Acceleration sensor (With Tray) Acceleration sensor, NFC
Touch	EXTERNAL	CONTROL	Touch Input, RS232C, RJ45 (Not for User Control)
	Type		InGlass™
	# of Drawing		Multi writing up to 4
	Touch Pen Type		Passive Pen with magnet
	Object Recognition Range		2mm/ 4mm/ 8mm/ 50mm, 1024 Level on Brush Mode
Power	Touch Response Time		6.7ms
	Type		Internal
	Power Supply		AC100-240V 50/60Hz
	Power Consumption	Max(W/h)	1815
		Typical(W/h)	100
Rating(W/h)		165	
Stand-by(W/h)		0.5	
BTU(W/h)		618.915	
Mechanical Spec	Dimension (mm)	Set	1522.4(W) x 897.6(H) x 62.9(D)
		Package	1691(W) x 1055(H) x 198(D)
	Weight (kg)	Set	4.00
		Package	5.06
	Color		Light Gray
	VESA Mount		400 x 400
	Protection Glass		Yes
	Stand Type		No, Gap Wall mount
	Rotation		N/A with Flip No - Gap Wall mount (WMN-WM65R) (Available with rotation support 3rd party accessory)
	Power Cable Length		3m
Operation	Accessory		Cover-Jack
	Operating Temperature		0°C ~ 40°C
	Humidity		10 ~ 80%
Feature	Key		Flip App
	Special	HW	Super Clear Coating, Temperature Sensor, Pivot Display, Clock Battery(168hrs Clock Keeping), Built in Speaker (10Wx2), WiFi Module Embedded
		SW	Flip S/W
		Platform	Muse-M (Tizen5.0)
	Internal Player (Embedded HW)	Processor	CAT72 Quad(1.7GHz)
		On-Chip Cache Memory	L1 (I/D) : 32KB / 32KB, L2 (Unified) : 1MB
		Clock Speed	1.7GHz CPU Quad
		Main Memory Interface	LPDDR 41.6GHz 64bit 2.5GB
		Graphics	2D & 3D Graphics Engine - Up to 1920 x 1080, 32bpp- Supports Open GLES
		Storage	8GB (2.65GB Occupied by O/S, 5.35GB Available)
		IO Ports	USB 2.0
		Operating System	Samsung Proprietary OS(VOLinux)
	Accessories	Included	Passive Pen(2), PowerCable, Touch Out Cable (USB upstream)
Optional		Stand	N/A
		Wallmount	WMN-WM65R
		Tray	CY-TF65BRC
	Specialty	Flip UX	

Wallmount for WM65R			
Mechanical Spec	Dimension (mm)	Set	520(W) x 280.3(H) x 15.9(D)mm
		Package	594(W) x 337(H) x 75(D)mm
	Weight (kg)	Set	1.75
		Package	3.2
	Color		Light Gray
	VESA Mount		400 X 400
Accessories	Rotation		N/A
	Included		Installation Guide, Screws
Feature	Special	HW	No - Gap Spacing, Extra Bracket for strong fixation



For more information
<https://dsignage.co.th/flip2>



ตัวแทนจำหน่าย Samsung Flip อย่างเป็นทางการ
 บริษัท ดีไซน์เนจ (ไทยแลนด์) จำกัด

16/5 ซ.จรัญสนิทวงศ์ 45 แขวงอรุณอมรินทร์ เขตบางกอกน้อย กรุงเทพฯ 10700

Tel: 02-1071545

Line ID: @dsignage

Email: sales@dsignage.co.th

Facebook: [dsignagethailand](https://www.facebook.com/dsignagethailand)